EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"698590"	US-PGPUB	OR	OFF	2006/03/01 16:36
S2	8	broyles-paul-j$.in.	US-PGPUB	OR	OFF	2006/03/01 16:38
S3	1	broyles-paul.in.	US-PGPUB	OR	OFF	2006/03/01 16:40
S4	6	broyles-paul-$.in.	USPAT	OR	OFF	2006/03/01 16:41
S5	0	broyles-paul.in.	USPAT	OR	OFF	2006/03/01 16:41
S6	7280	burn-in	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:41
S7	2675	binning	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:41
S8	85975	(max maximum) adj2 (power temp temperature)	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:29
S9	83	max$4temp max$4power	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:42
S10	5581	tmax pmax	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:43
S11	180	S8 with register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:43
S12	10	S11 with (cpu processor)	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:47
S13	740	S8 with (cpu processor) not S12	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:05
S14	22	S13.ab.	US-PGPUB; USPAT	OR	OFF	2006/03/01 16:47
S15	5	("6308240").URPN.	USPAT	OR	OFF	2006/03/01 17:00
S16	8	("6134666").URPN.	USPAT	OR	OFF	2006/03/01 17:01
S17	26	S8 same (cpu processor) near4 register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:06
S18	91	S8 near4 register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:09
S19	16	S18.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:07
S20	52	(S9 S10) near4 register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:28
S21	1	S20.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:10
S22	148	(S9 S10) with (cpu processor)	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:29
S23	8	S22.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:28
S24	30079	(max maximum) adj2 (current)	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:29
S25	280	S24 with (cpu processor)	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:37
S26	44	S25.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:29
S27	42	S24 near4 register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:42
S28	2	S27.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:37
S29	2909	(rated rating$1) near2 temperature	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:54

S30	20	S29 with (cpu processor)	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:46
S31	8	S29 with register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:46
S32	25517	(rated rating$1) near2 (power current watt$1 wattage)	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:00
S33	154	S32 with (cpu processor)	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:57
S34	37	S33.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 17:58
S35	32	S32 with register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:00
S36	99	(S8 S24) same (S6 S7)	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:06
S37	4	S36.ab.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:01
S38	1012	(S8 S24) with configura$4	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:12
S39	73	S38.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:10
S40	61	S38 and g06f$.ipc.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:10
S41	3	(S8 S24) same strapping	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:13
S42	0	(S9 S10) same strapping	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:13
S43	39015	threshold$1 near2 (temperature power current)	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:14
S44	281	S43 with register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:51
S45	39	S44.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:16
S46	44	S44 and g06f$.ipc.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:51
S47	5	("6718474").URPN.	USPAT	OR	OFF	2006/03/01 18:49
S48	1151	S43 with (cpu processor microprocessor)	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:51
S49	209	S48 and g06f$.ipc.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:51
S50	13	S48.ab. and g06f$.ipc.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:52
S51	1859	threshold$1 near2 register$1	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:52
S52	216	S51 with (cpu processor microprocessor)	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:53
S53	2	S52.ab.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:53
S54	32	S52.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:55
S55	24	S52 same (temperature power)	US-PGPUB; USPAT	OR	OFF	2006/03/01 18:55
S56	1734	self near monitor$3	USPAT	OR	OFF	2006/03/02 15:10
S57	46	S56 with temperature	USPAT	OR	OFF	2006/03/02 15:12
S58	7	S56 with thermal	USPAT	OR	OFF	2006/03/02 15:13

S59	105	S56 with (power watt$3)	USPAT	OR	OFF	2006/03/02 15:16
S60	64	S56 with current	USPAT	OR	OFF	2006/03/02 15:17
S61	46329	(rated rating$1 max maximum) near (power current)	USPAT	OR	OFF	2006/03/02 15:40
S62	78	S61 near3 register$1	USPAT	OR	OFF	2006/03/02 15:24
S63	20938	(rated rating$1 max maximum) near2 (power current) not S61	USPAT	OR	OFF	2006/03/02 15:24
S64	17	S63 near3 register$1	USPAT	OR	OFF	2006/03/02 15:32
S65	14	S63 with registers	USPAT	OR	OFF	2006/03/02 15:34
S66	1	temperature near2 binning	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:38
S67	45	temperature near2 threshold$1 with (model famil$3)	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:42
S68	366	temperature near2 threshold$1 with type	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:39
S69	10	S68.ab.	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:39
S70	16466	(rated rating$1 max maximum) near (power current)	US-PGPUB	OR	OFF	2006/03/02 15:40
S71	503	(S61 S70) with (model famil$3)	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:40
S72	7	S71.ab.	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:42
S73	128	temperature near2 threshold$1 with manufactur$3	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:45
S74	26	S71.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:42
S75	214	temperature near2 threshold$1 with (id identi$5 identification)	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:51
S76	32	S75.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:46
S77	21	S75 and g06f$.ipc.	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:48
S78	1861	threshold$1 near2 register$1	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:49
S79	466	threshold$1 near2 registers	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:49
S80	6	S79.ab.	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:49
S81	62	S79.clm.	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:49
S82	64	S78 with (id identi$5 identification)	US-PGPUB; USPAT	OR	OFF	2006/03/02 15:53